


# texdecor

Acoustic and decorative solutions



ACOUSTIC  
SOLUTIONS

## SlimWall Lines




αW 0.50  
NRC 0.65






# Installation

Mur / Wall / Pared



Plafond / Ceiling / Techo




## Unicolor





## Bicolor







## Colours



## Installation



## Ecoconception



## Acoustic

Frequencies (Hz)	125	250	500	1000	2000	4000	$\alpha_w$	NRC
SlimWall Lines	0,05	0,10	0,30	0,65	0,90	1	<b>0.35</b>	<b>0,45</b>
SlimWall Lines + 22mm cavity	0,05	0,20	0,55	0,90	0,95	0,90	<b>0.50</b>	<b>0,65</b>
SlimWall Lines + LR 20mm + 2mm Cavity	0,15	0,50	0,90	0,95	0,95	0,95	<b>0.80</b>	<b>0,85</b>
SlimWall Lines + LR20mm+ 25mm cavity	0,40	0,75	0,90	0,90	0,95	0,95	<b>0.95</b>	<b>0,9</b>
SlimWall Lines + LR 20mm + 250mm Cavity	0,60	0,70	0,80	0,90	0,95	1	<b>0.90</b>	<b>0,85</b>

# texdecor

Publication : Sept 2023

Texdecor, 2 rue d'Hem, 59780 Willems

Tel : + 33 (0)3 20 61 78 37 - Fax : + 33 (0)3 20 61 75 64 - www.texdecor.com

TEXSLIWBROLNE