
texdecor

Creator of decorative acoustic solutions





SlimPanel

Wall Concepts

BENEFITS OF USE

ENVIRONMENT

The compact felt used on the SlimPanel products contains 50% recycled polyester from plastic bottles. After processing, the offcuts are then also reused for another product.

VOC A+ : very low emissions, designed to preserve indoor air quality. Oeko-tex certified compact felt.

PRODUCTS PROPOSED

5 types of products (walls, island, baffle, louvre, totem) available in 24 models of panels, to be used alone or combined

There are different mountings and fittings with many finishes. The SlimColor range is composed of 15 colours.

READY TO INSTALL LIGHTING SOLUTIONS

Dual functionality: the baffles and the islands are transformed into lit acoustic objects specially designed to meet several needs: to light, energise, organise or decorate the space.

Luminous strips or LED backlighting with transformers, long-lasting and with lowenergy consumption, are mounted directly on to the panels in the workshop to enable safe and easy installation.

A HIGH-PERFORMANCE TECHNICAL PRODUCT

Equivalent average absorption area from $0.45 \, \mathrm{m}^2$ to $3,86 \, \mathrm{m}^2$, alpha w from 0,40 to 0,85.

Excellent fire-rating: B s2 d0

LED lighting : backlighting = 4,5W / baffles and islands = 18W and 35W

 $\label{prop:polycarbonate} \mbox{Fittings: in lacquered steel or polycarbonate to enable use in a damp environment.}$

Care: clean with a vacuum or damp cloth.

Easy installation: on walls and on ceilings, the fittings used are simple, adjustable and easy to install, allowing installation without having to shut off the space.

A DESIGN CONCEPT

The "Concept" products for walls comprise 4 decorative compositions to suit the wall space available and the acoustic correction required.


A system for backlighting the panels combines function and aesthetics. The transparent polycarbonate fittings for the louvres emphasise the lightweight structure and enhance the shapes and the colours of the slats.

Black or white slings render the hanging cables almost invisible depending on the colour of the ceiling.









SlimPanel

SlimColor

Palette of 15 colours, plain or marbled. 9mm thickness compact felt.



Samples available upon request www.texdecor.com



^{*} Backlighting option not available



Walls Concepts

SlimPanel Concept, 4 suggestions for acoustic decorative installations for walls: S'(small) M'(Medium) L'(Large) F'(Free). These suggestions give your surroundings character and this functional product has the benefit of being highly decorative. Available on all colours, these Concepts have been designed to meet the dimensional and acoustic constraints of your space.

Each Concept is composed for a maximum of 3 layers of superimposed panels. All separated by a 15mm plenum designed to improve the acoustics and add an optional LED backlighting system to create an impression of volume.

It is a unique solution, creating a unique ambiance.

F'Concept

Personalise your project with a tailor-made SlimPanel Concept: combine the colours at will, select the formats to suit the dimensions of your walls and create your signature wall to match your acoustic requirements.

Illuminate it if you wish!


Our team is here to help you throughout the project, all the time adhering to the instructions for superimposing and hanging the panels.



S'Concept



What is the S'Concept



Panels (in mm)	Position on wall
1200 x 600 x 9	1 (wall)
1200 x 400 x 9	2
1200 x 400 x 9	3


Description:

3 superimposed panels, with a 15mm gap between each one.

These 3 formats and their positions are mandatory. Any colours from the SlimColor palette. Optional LED backlighting.

Total wall surface area : $1.18 \ m^2$ / height : $1200 \ mm$ / width : $1600 \ mm$.

Acoustic values



Equivalent sound absorption area

S'Concept 1,13 m²

Frequency (Hz)	125	250	500	1000	2000	4000
Absorption area S'Concept	0.1	0.2	0.7	1.2	1.5	1.5

M'Concept



What is the M'Concept





1200×1200



1200×1200

1200x600

 Panels (in mm)
 Position on wall

 1200 x 1200 x 9
 1 (wall)

 1200 x 1200 x 9
 2

 1200 x 600 x 9
 3


Description:

3 superimposed panels, with a 15mm gap between each one.

These 3 formats and their positions are mandatory. Any colours from the SlimColor palette. Optional LED backlighting.

Total wall surface area : 1.92 \mbox{m}^2 / height : 1600 mm / width : 1400 mm

Acoustic values



Equivalent sound absorption area


M'Concept2 m²

Frequency (Hz)	125	250	500	1000	2000	4000
Absorption area M'Concept	0.1	0.5	1.4	2.2	2.4	2.4

L'Concept



What is the L'Concept







1200x600




Panels (in mm)	Position on wall
2400 x 1200 x 9	1 (wall)
1200 x 600 x 9	2 (left)
1200 x 600 x 9	2 (right)
1200 x 1200 x 9	3

Description:

These 4 formats and their positions are mandatory. Any colours from the SlimColor palette. Optional LED backlighting.

Total wall surface area : 3.37 m^2 / height : 1800 mm / width : 2400 mm

Acoustic values



Equivalent sound absorption area

L'Concept 3.1 m²

Frequency (Hz)	125	250	500	1000	2000	4000
Absorption area L'Concept	0.3	0.9	2.2	3.3	3.8	3.7

⁴ assembled panels, with a 15mm gap between each one.

SlimPanel

Backlighting wall / ceiling

SlimPanel is not only an acoustic panel, it is also a decorative illuminated object. Each format has been designed to create an optical halo phenomenon produced by the diffusion of bands of light giving the appearance of volume to the panel or the structure.

Integrated into a wall Concept, a functional SlimPanel becomes a decorative object that defines the space. In an îlot suspended from the ceiling or a wall panel, the backlighting creates a soft and diffused indirect light, bringing warmth to your interior.





Each panel is fitted with a LED strip in the workshop with a heatsink, guaranteeing an optimal lifespan. With neutral white light and a suitable transformer, the light panel suits a large number of spaces.


For the wall panels and also the concepts or the islands, the backlighting system is adapted to each configuration, ensuring easy-use and quick installation. These functional and decorative solutions are delivered ready-to-install.

* Applicable for all colours except 9162 10 63 and 9162 10 51



Download the brochure and technical documentation Order your free samples

on <u>www.texdecor.com</u>



texdecor

Publication date : September 2020 Texdecor, 2 rue d'Hem, 59780 Willems Tel : + 33 (0)3 20 61 78 37 - Fax : + 33 (0)3 20 61 75 64 - www.texdecor.com